

Print ISSN : 0972-8813
e-ISSN : 2582-2780

[Vol. 22(1) January-April 2024]

Pantnagar Journal of Research

(Formerly International Journal of Basic and
Applied Agricultural Research ISSN : 2349-8765)



G.B. Pant University of Agriculture & Technology, Pantnagar



ADVISORYBOARD

Patron

Dr. Manmohan Singh Chauhan, Vice-Chancellor, G.B. Pant University of Agriculture and Technology, Pantnagar, India

Members

Dr. A.S. Nain, Ph.D., Director Research, G.B. Pant University of Agri. & Tech., Pantnagar, India

Dr. Jitendra Kwatra, Ph.D., Director, Extension Education, G.B. Pant University of Agri. & Tech., Pantnagar, India

Dr. S.K. Kashyap, Ph.D., Dean, College of Agriculture, G.B. Pant University of Agri. & Tech., Pantnagar, India

Dr. S.P. Singh, Ph.D., Dean, College of Veterinary & Animal Sciences, G.B. Pant University of Agri. & Tech., Pantnagar, India

Dr. K.P. Raverkar, Ph.D., Dean, College of Post Graduate Studies, G.B. Pant University of Agri. & Tech., Pantnagar, India

Dr. Sandeep Arora, Ph.D., Dean, College of Basic Sciences & Humanities, G.B. Pant University of Agri. & Tech., Pantnagar, India

Dr. Alaknanda Ashok, Ph.D., Dean, College of Technology, G.B. Pant University of Agri. & Tech., Pantnagar, India

Dr. Alka Goel, Ph.D., Dean, College of Community Science, G.B. Pant University of Agri. & Tech., Pantnagar, India

Dr. Avdhesh Kumar, Ph.D., Dean, College of Fisheries, G.B. Pant University of Agri. & Tech., Pantnagar, India

Dr. R.S. Jadoun, Ph.D., Dean, College of Agribusiness Management, G.B. Pant University of Agri. & Tech., Pantnagar, India

EDITORIALBOARD

Members

Prof. A.K. Misra, Ph.D., Chairman, Agricultural Scientists Recruitment Board, Krishi Anusandhan Bhavan I, New Delhi, India

Dr. Anand Shukla, Director, Reefberry Foodex Pvt. Ltd., Veraval, Gujarat, India

Dr. Anil Kumar, Ph.D., Director, Education, Rani Lakshmi Bai Central Agricultural University, Jhansi, India

Dr. Ashok K. Mishra, Ph.D., Kemper and Ethel Marley Foundation Chair, W P Carey Business School, Arizona State University, U.S.A

Dr. B.B. Singh, Ph.D., Visiting Professor and Senior Fellow, Dept. of Soil and Crop Sciences and Borlaug Institute for International Agriculture, Texas A&M University, U.S.A.

Prof. Binod Kumar Kanaujia, Ph.D., Professor, School of Computational and Integrative Sciences, Jawahar Lal Nehru University, New Delhi, India

Dr. D. Ratna Kumari, Ph.D., Associate Dean, College of Community / Home Science, PJTSAU, Hyderabad, India

Dr. Deepak Pant, Ph.D., Separation and Conversion Technology, Flemish Institute for Technological Research (VITO), Belgium

Dr. Desirazu N. Rao, Ph.D., Professor, Department of Biochemistry, Indian Institute of Science, Bangalore, India

Dr. G.K. Garg, Ph.D., Dean (Retired), College of Basic Sciences & Humanities, G.B. Pant University of Agric. & Tech., Pantnagar, India

Dr. Humnath Bhandari, Ph.D., IRRI Representative for Bangladesh, Agricultural Economist, Agrifood Policy Platform, Philippines

Dr. Indu S Sawant, Ph.D., Director, ICAR - National Research Centre for Grapes, Pune, India

Dr. Kuldeep Singh, Ph.D., Director, ICAR - National Bureau of Plant Genetic Resources, New Delhi, India

Dr. M.P. Pandey, Ph.D., Ex. Vice Chancellor, BAU, Ranchi & IGKV, Raipur and Director General, IAT, Allahabad, India

Dr. Martin Mortimer, Ph.D., Professor, The Centre of Excellence for Sustainable Food Systems, University of Liverpool, United Kingdom

Dr. Muneshwar Singh, Ph.D., Project Coordinator AICRP- LTFE, ICAR - Indian Institute of Soil Science, Bhopal, India

Prof. Omkar, Ph.D., Professor, Department of Zoology, University of Lucknow, India

Dr. P.C. Srivastav, Ph.D., Professor, Department of Soil Science, G.B. Pant University of Agriculture and Technology, Pantnagar, India

Dr. Prashant Srivastava, Ph.D., Cooperative Research Centre for Contamination Assessment and Remediation of the Environment, University of South Australia, Australia

Dr. Puneet Srivastava, Ph.D., Director, Water Resources Center, Butler-Cunningham Eminent Scholar, Professor, Biosystems Engineering, Auburn University, U.S.A.

Dr. R.C. Chaudhary, Ph.D., Chairman, Participatory Rural Development Foundation, Gorakhpur, India

Dr. R.K. Singh, Ph.D., Director & Vice Chancellor, ICAR-Indian Veterinary Research Institute, Izatnagar, U.P., India

Prof. Ramesh Kanwar, Ph.D., Charles F. Curtiss Distinguished Professor of Water Resources Engineering, Iowa State University, U.S.A.

Dr. S.N. Maurya, Ph.D., Professor (Retired), Department of Gynecology & Obstetrics, G.B. Pant University of Agric. & Tech., Pantnagar, India

Dr. Sham S. Goyal, Ph.D., Professor (Retired), Faculty of Agriculture and Environmental Sciences, University of California, Davis, U.S.A.

Prof. Umesh Varshney, Ph.D., Professor, Department of Microbiology and Cell Biology, Indian Institute of Science, Bangalore, India

Prof. V.D. Sharma, Ph.D., Dean Academics, SAI Group of Institutions, Dehradun, India

Dr. V.K. Singh, Ph.D., Head, Division of Agronomy, ICAR-Indian Agricultural Research Institute, New Delhi, India

Dr. Vijay P. Singh, Ph.D., Distinguished Professor, Caroline and William N. Lehrer Distinguished Chair in Water Engineering, Department of Biological Agricultural Engineering, Texas A&M University, U.S.A.

Dr. Vinay Mehrotra, Ph.D., President, Vinlax Canada Inc., Canada

Editor-in-Chief

Dr. Manoranjan Dutta, Head Crop Improvement Division (Retd.), National Bureau of Plant Genetic Resources, New Delhi, India

Managing Editor

Dr. S.N. Tiwari, Ph.D., Professor, Department of Entomology, G.B. Pant University of Agriculture and Technology, Pantnagar, India

Assistant Managing Editor

Dr. Jyotsna Yadav, Ph.D., Research Editor, Directorate of Research, G.B. Pant University of Agriculture and Technology, Pantnagar, India

Technical Manager

Dr. S.D. Samantray, Ph.D., Professor, Department of Computer Science and Engineering, G.B. Pant University of Agriculture and Technology, Pantnagar, India

CONTENTS

Productivity, nutrient uptake and economics of sweet corn (<i>Zea mays</i> L. var. <i>saccharata</i>) under different planting geometry and NPK levels	1-7
AMIT BHATNAGAR, SAILESH DEB KARJEE, GURVINDER SINGH and DINESH KUMAR SINGH	
Integrated effect of natural farming concoctions and organic farming practices with various NPK doses on quality of bread wheat	8-13
PRERNA NEGI, MOINUDDIN CHISTI and HIMANSHU VERMA	
Characterization and fertility capability classification of some soils in the rain forest zone of Edo state, Nigeria	14-25
OKUNSEBOR, F.E., OGBEMUDIA, I. and OKOLIE, S. I.	
Characterization and classification of guava growing soils of North-East Haryana according to frame work of land evaluation (FAO, 1993)	26-35
DHARAM PAL, MANOJ SHARMA, R.S. GARHWAL and DINESH	
Interactive impact of heavy metals and mycorrhizal fungi on growth and yield of pepper (<i>Capsicum annuum</i> Linn.)	36-47
SHARMILA CHAUHAN, MOHINDER SINGH, SNEHA DOBHAL, DEEKSHA SEMWAL and PRAVEEN	
Response of chilli (<i>Capsicum annuum</i> var. <i>annuum</i> L.) to different nutrient management practices	48-58
SHEETAL, K.C. SHARMA, SHIVAM SHARMA, NEHA SHARMA, D.R. CHAUDHARY, SANDEEP MANUJA and AKHILESH SHARMA	
Trend detection in weather parameters using Mann-Kendall test for Tarai region of Uttarakhand	59-67
SHUBHIKA GOEL and R.K. SINGH	
Comparative study of antioxidant potential of fresh peel from different citrus species	68-74
TARU NEGI, ANIL KUMAR, ARCHANA GANGWAR, SATISH KUMAR SHARMA, ANURADHA DUTTA, NAVIN CHAND SHAHI, OM PRAKASH and ASHUTOSH DUBEY	
Suitability of Quinoa Grains (<i>Chenopodium Quinoa</i> Willd.) for development of Low Glycemic Index Biscuits	75-84
RUSHDA ANAM MALIK, SARITA SRIVASTAVA and MEENAL	
A study on dietary intake among school-going adolescent girls of Udaipur, Rajasthan during COVID-19	85-92
JYOTI SINGH and NIKITA WADHAWAN	
Nutritional and sensory evaluation of gluten free chapatti developed using underutilised food sources	93-98
AYUSHI JOSHI, ARCHANA KUSHWAHA, ANURADHA DUTTA, ANIL KUMAR and NAVIN CHANDRA SHAHI	
Nutrient-enriched wheat chapatti with fresh pea shells (<i>Pisum sativum</i> L.): A comprehensive quality assessment	99-109
AMITA BENIWAL, SAVITA, VEENU SANGWAN and DARSHAN PUNIA	

Pearl Millet-Based Pasta and Noodles Incorporated with <i>Jamun</i> Seed Powder: Quality Analysis SAVITA, AMITA BENIWAL, VEENU SANGWAN and ASHA KAWATRA	110-121
Unlocking the biofortification potential of <i>Serratia marcescens</i> for enhanced zinc and iron content in wheat grains BHARTI KUKRETI and AJAY VEER SINGH	122-131
Antioxidant and anti-inflammatory properties of sun-dried leaves and fruits of wild <i>Pyracantha crenulata</i> (D. Don) M. Roem. SUGANDHA PANT, PREETI CHATURVEDI, AAKANSHA VERMA, MANDEEP RAWAT, VAISHNAVI RAJWAR and KAVITA NEGI	132-141
Studies on productive herd life, longevity, and selective value and their components in crossbred cattle SHASHIKANT, C.V. SINGH and R.S. BARWAL	142-150
Studies on replacement rate and its components in crossbred cattle SHASHIKANT, C.V. SINGH, R.S. BARWAL and MANITA DANGI	151-157
Principal component analysis in production and reproduction traits of Frieswal cattle under field progeny testing OLYMPICA SARMA, R. S. BARWAL, C. V. SINGH, D. KUMAR, C. B. SINGH, A. K. GHOSH, B. N. SHAHI and S. K. SINGH	158-163
Degenerative renal pathology in swine: A comprehensive histopathological investigation in Rajasthan, India SHOBHA BURDAK, INDU VYAS, HEMANT DADHICH, MANISHA MATHUR, SHESH ASOPA, RENU	164-169
Evaluation of histopathological changes on acute exposure of profenofos in Swiss albino mice SONU DEVI, VINOD KUMAR, PREETI BAGRI and DEEPIKA LATHER	170-177
Temporal and spatial performance of rapeseed and mustard oilseed in India: A study in the context of Technology Mission on Oilseeds¹ LEKHA KALRA and S. K. SRIVASTAVA	178-190
Comparative economics of maize cultivation in major and minor maize producing districts of Karnataka – a study across farm size groups GEETHA, R. S. and S. K. SRIVASTAVA	191-203
A study on Usefulness of Participatory Newsletter for Potato growers in Udham Singh Nagar district of Uttarakhand RAMESH NAUTIYAL and ARPITA SHARMA KANDPAL	204–209
Training Needs of Hortipreneurs in Value Addition and fruit crop production in Kumaon Hills of Uttarakhand KRITIKA PANT and ARPITA SHARMA KANDPAL	210-215
Post-training Knowledge Assessment of the rural women about Mushroom Cultivation under TSP project, funded by ICAR ARPITA SHARMA KANDPAL, S. K. MISHRA and OMVEER SINGH	216-220
UAV Technology: Applications, economical reliance and feasibility in Indian Agriculture A. AJAY and S. SAI MOHAN	221-229

A study on Usefulness of Participatory Newsletter for Potato growers in Udham Singh Nagar district of Uttarakhand

RAMESH NAUTIYAL and ARPITA SHARMA KANDPAL*

Department of Agricultural Communication, College of Agriculture, G.B. Pant University of Agriculture and Technology, Pantnagar-263145(U.S. Nagar, Uttarakhand)

**Corresponding author's email id: sharmaarpita615@gmail.com*

ABSTRACT: Newsletters have evolved into a vital tool for disseminating information among targeted audiences, serving as an effective means to communicate pertinent, accurate, and appropriate information on specific topics to a captive audience. This research aimed to evaluate the usefulness of a participatory newsletter on potato growers in a purposefully selected block in the US Nagar district of Uttarakhand. Adopting an experimental research design, a newsletter was first developed by the researcher using participatory methodology and then distributed to the selected respondents. The study involved 120 potato growers purposively chosen from three villages in one block (Kashipur). The effectiveness of the participatory newsletter was assessed by measuring knowledge gain through pre- and post- test method, employing a structured interview schedule for data collection. The study findings revealed a significant difference in the knowledge gained by the respondents after being exposed to the newsletter. Further, a substantial majority expressed higher satisfaction with various aspects of the newsletter, including its size, design, content, accuracy, readability, and the utility and accuracy of the information it contained.

Key words: Potato Growers, communication, print media, participatory newsletter

In India, agriculture sector accounts of 15.2 per cent of India's Gross Domestic Product (GDP) and it provide employment to more than half per cent population of the country directly or indirectly. Vegetables in India are counted as an important food crops for food trade. It plays an important role in India's economy by increasing the income of rural people (Neeraj *et al.* 2017). Uttarakhand is primarily a mountainous state. Further 78 % of its total population dependent on agricultural-related activities for livelihood. Vegetable cultivation in Uttarakhand hills, has emerged as an attractive farming option; even in offseason, it has picked up on quite a large scale providing a good source of income. Although it has become quite remunerative but farmers are reportedly facing lots of constraints relating to its marketing and production' (Shah and Ansari, 2020).

Potato (*Solanum tuberosum* L.) is a perennial plant and belongs to the Solanaceae family and it is the fourth most grown crop in the world after paddy, wheat and maize. There are various constraints faced by the farmers in commercial farming of potatoes in Uttarakhand state viz. unavailability of quality

seeds, pest management, lack of farm machinery, Field management, lack of post-harvest management techniques, marketing problems, lack of transportation facility, irrigation facility, lack of storage facilities, lack of technical knowledge for scientific cultivation, lack of extension workers and lack of research, technical guidance and sufficient capital. Vegetable cultivation offers a unique opportunity for hill farmers of Uttarakhand due to the favourable climatic conditions.

Therefore, extension workers can empower the potato growers by providing them information, education and knowledge on various aspects. However, the proportion of extension workers per farmer in India is very less, which is a big challenge for the extension system. Keeping this challenge in mind, it becomes important to seek a participatory approach in the process of building strategy to meet the farmers' own information needs. The biggest problem of the farmers in Uttarakhand is the information gap. Ansari and Shweta (2014) observed that information asymmetry at farm level has been identified as one of the main reasons for low agriculture productivity and production. Access to

accurate, timely and reliable information, therefore, plays a crucial role in the adoption of appropriate agriculture technology.

To fill this gap, it is necessary to provide services as per their requirement through the participation of the farmers at the grassroots level. Media can prove to be a good tool to make these services available to farmers. The mass media and agricultural sector are interlinked. (Gorg and Strobl, 2001). Printed media has its own power to disseminate the valuable information. The print media played an important role in agricultural development since the time of independence, and consider on more important than electronic media. Kushwaha (2008) revealed that most communication and development efforts depend on printed materials. People's behavior and attitudes have been changed by print media (Sharma and Kashyap, 2014), which shows that print media can be used as an important tool for behavioral change of the people.

Communication is at the heart of agriculture development and is said to be a steering wheel which drives all the developmental and education interventions in society. The need for informative, educative, and innovative participatory development communications is immense, since a large population lives in rural areas and depends on agriculture and allied sectors. However, 'participants in educational and training paradigms require rich learning environment supported by well designed resources (Khan, 1997; Tamta & Ansari, 2015). According to Sharma (2009), Print media can emerge as an efficient alternative as it is cost effective, portable, and flexible and does not require any other technical knowledge in its use. The main role of media production is need assessment, message designing and use of information through active participation of farmers at the grassroots level, but today most media are ignorant about this essential role. Therefore, it is important to seek a participatory approach to involve them in the building strategy process to meet the farmers' own information needs. Newsletter to be effective and serves as an information communication tool and based on the needs of target audience. Raghuvanshi and Ansari

(2018) opined that Newsletters are very much effective in generating the desired social support and drive public participation in development programmes and initiatives. Participatory agricultural communications aimed at encouraging knowledge transfer and promoting technology adoption at the farm level are a novel approach of agriculture extension services as they create a favourable information ecosystem enhancing learning outcomes. It is therefore imperative that before designing newsletter, information needs should be assessed. Participatory communication approaches appear as an alternative tool for development communication.

The present study was undertaken with the objective of assessing the usefulness of participatory newsletter as a development communication intervention for promoting potato growers.

MATERIALS AND METHODS

The present study was conducted in purposively selected Kashipur block of US Nagar district in Uttarakhand. Out of six districts (Nainital, Almora, Bageshwar, Pithoragarh, Champawat, US Nagar), one district (U. S. Nagar) was selected purposively as it is having maximum number of potato growers. All the 120 respondents who were involved in potato production were selected purposively. The study followed experimental research design.

The newsletter was developed and designed with the participation of potato growers according to their information needs which were identified through need assessment exercise done with potato growers. In order to determine the usefulness of newsletter, a knowledge test was developed with the consultation of experts. The knowledge test comprised of 25 Questions related to potato growers. Out of these, 10 questions were of fill in the blanks type, 10 were of true and false type and 5 were of multiple choice type. For the development of newsletter regarding potato cultivation some parameters were selected, viz. size of Newsletter (A4 size of paper was selected), font type, font size (11), language (Hindi) and single line spacing. After the selection of

parameters, name of the newsletter (*Aalu ki Kheti*) was selected after consultation with expert. Headings, photographs and content of the newsletter related to potato cultivation were in consultation with respondents. The newsletter on potato growers was distributed to the selected respondents. A pretest was conducted before distribution of newsletter and after 20 days, another test was completed to find out the gain in knowledge as a result of exposure to the newsletter.

RESULTS AND DISCUSSION

Usefulness of participatory newsletter in term of gain in knowledge

Effectiveness of the participatory newsletter was measured in terms of gain in knowledge of the respondents accessed by 25 items. Primarily, a knowledge test was given to respondents before the distribution of newsletter that was called pre-test. Pre-test was then followed by a post-test. Paired 't'-test was calculated to test the significant difference in pre and post knowledge level of respondents. Data presented in Table 1 depicts the relevant values for driving the conclusion from the paired 't'-test.

It is evident from the above table that value of 't' cal is higher than value of 't' tab at 1% level of significance. Thus, null hypothesis that respondents have same knowledge in pre and post knowledge test was rejected and alternate hypothesis that mean knowledge score was significantly higher in post-test than pre-test. Hence, it can be concluded that the intervention of participatory newsletter significant gain in knowledge of respondents.

Initially, potato growers had low knowledge regarding potato cultivation practices as indicated by low score in pre-test (13.96). Significant increase in knowledge was observed after the intervention of participatory newsletter as their post-test score increased from 13.96 to 21.88. The gain in knowledge was 7.91.

Thus, participatory newsletter was found to be effective in terms of gain in knowledge of respondents. Sharma and Kashyap (2014) also reported that participatory newsletter led to

significant gains in the knowledge of respondents. Participatory Newsletter as a tool for communication was found to be effective as displayed by the significant gains in knowledge of respondents. Hence, the intervention of participatory newsletter can be used as an effective medium to enhance the level of knowledge of potato growers. It can also be concluded that when newsletter is designed based on needs of the respondents, positive results can be obtained in not only bridging the information and knowledge gap but in other possible aspects also.

From the above data it can be concluded that majority (71.4 %) of the respondents were found to be most satisfied followed by 25.6 per cent satisfied and only 3 per cent respondents were least satisfied regarding the size of the newsletter. Majority (79.6 %) of the respondents were found most satisfied followed by 18.4 per cent satisfied and only 2 per cent respondents were least satisfied regarding the Design of newsletter. Majority (95 %) of the respondents were found most satisfied followed by 5 per cent satisfied and none of the respondents were least satisfied regarding the Name of the newsletter. Majority (92 %) of the respondents were found most satisfied followed by 8 per cent satisfied and none of the respondents were least satisfied regarding the content of the newsletter. Majority (84.3 %) of the respondents were found most satisfied followed by 10 per cent satisfied and only 5.7 per cent respondents were least satisfied regarding the Need based information. Majority (64.6 %) of the respondents were found most satisfied followed by 35.4 per cent satisfied and none of the respondents




Fig. 1: Paired 't' test for relative effectiveness of participatory newsletter (n=120)

Table 1: Effectiveness of participatory newsletter in term of gain in knowledge

S. No.	Statements	Pre-test score	Post-test score	Difference
1	Potato is known as king of vegetables.	112	116	4
2	Appropriate time for sowing of potato is Mid October	120	120	0
3	For high yield of potato, the size of potato seeds is 3 to 3.5 cm. And the weight should be 25-30 grams.	106	115	9
4	For potato cultivation, the seed rate should be 25-30 quintals/ha.	102	120	18
5	Spacing for potato cultivation should be 25x60cm.	120	120	0
6	Potato crop is ready for harvesting 75–120 days after sowing.	120	120	0
7	The first irrigation should be done after the emergence of the plant in potato fields and the second irrigation should be done after 15 days.	96	104	8
8	7-8 numbers of irrigation are required for good growth, development and good yield of the plant.	104	118	14
9	Earthing up in potatoes is mainly done to keep the soil loose and to destroy the weeds.	114	116	2
10	Insect of potato which infect the tubers in field as well as storage potato tuber moth.	74	114	40
11	White fly mainly acts as a carrier for viruses.	84	118	34
12	Sun light is not essential for potato germination.	119	120	1
13	Weeds in the field are not suitable for potatoes, so weeds should not be allowed to grow in the field.	120	120	0
14	Urea is a phosphatic fertilizer.	96	107	11
15	White fly sucks the sap of leaves, reducing the strength of the plant. After some time, the leaves turn yellow and finally dry up.	96	102	6
16	Pesticides are sprayed to irrigate the crops.	120	120	0
17	Applications of excess chemical fertilizer reduce soil fertility.	78	96	18
18	Commercial fertilizers are available mostly in the form of granules.	105	107	2
19	Earthing up in potato done when plant height gets 15-25cm.	95	97	2
20	Aphid attack can be prevented for 45 days by using 10 kg / ha of Phorate 10G at the time of planting.	84	91	7
21	A common example of stem tuber is potato	120	120	0
22	Potato tuber yield will be 327q/ha, if crop was spaced at 25 x 60 cm.	120	120	0
23	Management of late blight in potato can be done by collecting field residues and burnt before sowing, Use of certified seeds and Spray of 0.3 % copperoxychloride.	84	96	10
24	Black wart disease causes brown-to-black moles like appearance in potatoes.	76	79	3
25	Potato tuber moth can be prevented by Using disease free seeds, doing earthing up at appropriate time and Spraying Fenvelrate 2 percent or Malathion 5 percent on stored potato.	78	86	8

Table 2: Paired 't' test for relative effectiveness of participatory newsletter (n=120)

Mean of pre-test score \bar{X}_1	Mean of post-test score \bar{X}_2	Mean of difference \bar{d}	Standard deviation of difference Sd	't' cal	't' tab
13.96	21.88	7.91	2.85	30.357	-2.378

**Indicate that value is significant at 1% level of significance; 't' tab (left sided) = $-t_{(n-1, \alpha)}$ = - 2.378

were least satisfied regarding the Utility of the content. Majority (62 %) of the respondents were found most satisfied followed by 38 per cent satisfied and none of the respondents were least satisfied regarding the accuracy of message. Majority (74.7 %) of the respondents were found most satisfied

followed by 25.3 per cent satisfied and none of the respondents were least satisfied regarding the Clarity of message. Majority (65 %) of the respondents were found most satisfied followed by 35 per cent satisfied and none of the respondents were least satisfied regarding the Readability of the message.

Table 3: Opinions of respondents regarding newsletter in post test

Sl. No.	Particular	Most satisfactory (%)	Satisfactory (%)	Least satisfactory (%)
1	Size of newsletter	71.40	25.60	3.00
2	Design of newsletter	79.60	18.40	2.00
3	Name of the newsletter	95.00	5.00	0
4	Overall look of the newsletter	92.00	8.00	0
5	Need based information	84.30	10.00	5.70
6	Utility of the content	64.60	35.40	0
7	Accuracy of message	62.00	38.00	0
8	Clarity of message	74.70	25.30	0
9	Readability of the message	65.00	35.00	0

CONCLUSION

The analysis suggests that there was a notable increase in the mean knowledge score from the pre-test to the post-test, indicating a significant improvement. This improvement is attributed to the implementation of the participatory newsletter intervention, showcasing its effectiveness in enhancing the knowledge of the participants. The study highlights the efficacy of the participatory newsletter as a communication tool, evident in the substantial knowledge gains observed among respondents. Further, the findings emphasize the importance of tailoring newsletters to address the specific information needs of the audience. It is concluded that designing newsletters based on identified information needs leads to positive outcomes not only in closing knowledge gaps but also in various other aspects. The research highlights the extensive potential of newsletters as valuable tools for agricultural extension, particularly when adopting a participatory approach.

Additionally, the study sheds light on the role of print media in agricultural development. The participatory newsletter, by disseminating need-based information, is shown to bring about a significant transformation in the awareness and knowledge levels of farmers. This underscores the broader impact of print media in contributing to agricultural knowledge dissemination and development.

REFERENCES

Ansari, M. A. and Shweta S. (2014). Agriculture information needs of farm women: A study

in State of North India. *African Journal of Agriculture Research*, 9(19): 1454-1460.

Gorg, H., and E. Strobl. (2001). Multinational companies and productivity spillovers: A meta-analysis. *Royal Economic Society*, 111 (475): F723–F739.

Khan, B. (1997). Web-based instruction. Englewood Cliffs, New Jersey: Educational Technology Publications: 5-18.

Kushwaha, V.K. (2008). A Study on Adoption Behaviour of Farmers in Relation to Cultivation of Tomato Crop in Sanchi Block of Raisen District (M.P.). M.Sc. Thesis. Jawaharlal Nehru Krishi Vishwa Vidyalaya, Jabalpur.

Neeraj, Chittora, A., Bisht, V. and Johar, V. (2017). Marketing and Production of Fruits and Vegetables in India. *International Journal of Current Microbiology and Applied Science*, 6 (9): 2896-2907. Doi: <https://doi.org/10.20546/ijemas.2017.609.356>

Raghuvanshi, R. and Ansari, M. A. (2018). Emerging trends of researches in Agriculture Extension Education. *Journal of Pharmacognosy and Phytochemistry*, Special Issue-5: 137-139.

Shah, P. and Ansari, M. A. (2020). A study of marketing and production constraints faced by vegetable growers. *Asian Journal of Agriculture Extension, Economics and Sociology*, 38(11): 257-263.

Sharma, A. (2009). Effectiveness of Media Mix in Imparting Nutritional Education Among Rural Women in district Udham Singh Nagar of Uttarakhand. M.Sc. Thesis (Unpublished). Govind Ballabh Pant

- University of Agriculture and Technology
Pantnagar.
- Sharma, A., and Kashyap, S. K. (2014). Development of participatory community radio module for rural women empowerment. *Bhartiya Krishi Anusandhan Patrika*, 29 (3): 154-158.
- Tamta, P. and Ansari, M. A. (2015). University student's perceptions towards e-learning. *International Journal of Extension Education*, 11(2): 6-11.
- Received: February 15, 2024*
Accepted: March 27, 2024